B LA LINIA LIGHTINGProduct Catalogue

1 if all

CHAL

Intro



La Linia Lighting

Over the last 25 years, La Linia Lighting has grown to become a leading and reliable partner for your lighting needs.

We are experts in the field of lighting and create light fixtures from textile, steel, acrylic and aluminum according to the wishes of our customers.

With about twenty talented professionals and modern computer-controlled machinery, we serve our clients in the project market in The Netherlands and neighboring countries.

Our clients include architects, lighting designers and planners, project designers, interior designers and interior decorators.

La Linia Lighting, handmade with a passion for light!



Ring of Light IQ

בור

Modern, slim lines provided with the highest quality of LED.

Endless possibilities give you the opportunity to create this architectural masterpiece entirely according to your own wishes. Pick a colour, size and even the colour of the LED. Make your own arrangement of multiple sizes and colors. You are in charge!

Contemporary techniques that are incorporated in this design ensure an always appropriate atmospheric experience. By adjusting the suspension system as desired, you determine the shape and location of the light experience yourself.

The placement of various LED modules is optional, so that you can perfectly shape the light experience to your style. For example, RGB or different white tones that can be mixed endlessly.

With the CTRL La Linia Lighting wireless controller®, the LED lights can be adjusted in colour temperature and light output. By attaching the wireless touch controller to your wall or desk, you can adjust the light output anytime you wish. You can control up to 500 Ring of Lights, with a single controller.

In short, a high quality Dutch handmade product, made by people with a passion for the beauty of light.

We hope you'll enjoy our craftsmanship.

For any questions, please do not hesitate to contact us.

*On request, the Ring of Light can also be made in different sizes, heights, colors and shapes. For example square of rectangular.




Product Specifications

- Toppanel: Composite light weight aluminium
- Diffusor: Satin White acrylic specialized for LED
- Outside and Inside: La Linia Luxury Dual Satin © composite material, containing PVC, Polyester and Cotton
- Suspension: Galvanised steel with high grade cable holders
- Ceilingcanopy: Steel coated white or black




Product Specifications






- Outer Diameter: 400mm
- Inner Diameter: 300mm
- Height: 80mm
- LED Power: 15W
- Luminous Flux: 2.0251m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 500mm
- Inner Diameter: 400mm
- Height: 80mm
- LED Power: 20W
- Luminous Flux: 2.700lm
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 600mm
- Inner Diameter: 500mm
- Height: 80mm
- LED Power: 26W
- Luminous Flux: 3.510lm
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING

7




Projects




Projects




Product Specifications



- Outer Diameter: 700mm
- Inner Diameter: 600mm
- Height: 80mm
- LED Power: 31W
- Luminous Flux: 4.1851m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING




- Outer Diameter: 800mm
- Inner Diameter: 700mm
- Height: 80mm
- LED Power: 35W
- Luminous Flux: 4.7251m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING




- Outer Diameter: 900mm
- Inner Diameter: 800mm
- Height: 80mm
- LED Power: 40W
- Luminous Flux: 5.4001m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING

Product Specifications






- Outer Diameter: 1000mm
- Inner Diameter: 900mm
- Height: 80mm
- LED Power: 44W
- Luminous Flux: 5.9401m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 1200mm
- Inner Diameter: 1100mm
- Height: 80mm
- LED Power: 53W
- Luminous Flux: 7.1551m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 1400mm
- Inner Diameter: 1300mm
- Height: 80mm
- LED Power: 62W
- Luminous Flux: 8.3701m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



Projects




Color Swatches



Monaco 86 Satin Champagne



Satin Graphite



Satin D. Taupe



Satin Amber



PCW01 Matt White



PCW20 Matt Black




PCW81 Matt Anthracite

*Actual colors may vary slightly.



Product Specifications



Outer Diameter: 1500mm

Inner Diameter: 1400mm

Height: 80mm

LED Power: 66W


Luminous Flux: 8.9101m

Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB

CRI: 90+

Build in LED Driver: Meanwell

Dimmable: On request DALI, TRIAC LA LINIA DIMMING



Outer Diameter: 1600mm

Inner Diameter: 1500mm

Height: 80mm

LED Power: 70W


Luminous Flux: 9.4501m

Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB

CRI: 90+

Build in LED Driver: Meanwell

Dimmable: On request DALI, TRIAC LA LINIA DIMMING



Outer Diameter: 1800mm

Inner Diameter: 1700mm

Height: 80mm

LED Power: 80W

Luminous Flux: 10.8001m

Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB


CRI: 90+

> Build in LED Driver: Meanwell


Dimmable: On request DALI, TRIAC LA LINIA DIMMING

Product Specifications






- Outer Diameter: 2000mm
- Inner Diameter: 1900mm
- Height: 80mm
- LED Power: 90W
- Luminous Flux: 12.1501m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 2200mm
- Inner Diameter: 2100mm
- Height: 80mm
- LED Power: 99W
- Luminous Flux: 13.3651m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING



- Outer Diameter: 2400mm
- Inner Diameter: 2300mm
- Height: 80mm
- LED Power: 110W
- Luminous Flux: 14.8501m
- Color Temperature: 2700K 3000K 4000K TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING

Ы

Projects



Projects



and the second second

E

LA LINIA LIGHTING Nexus (Aluminium Series)

NSTORF

Nexus Aluminium Series

Nexus Series

The La Linia Nexus series includes a number of handmade aluminum lightfixtures that are available in a wide variety of shapes, sizes and finishes.

Ring of Light Nexus

Modern, handmade ringluminaire with a width of 50 mm and a height of 60 mm. Can be fitted with 2700K, 3000K and 4000K LED modules. Optionally equipped with direct and/or indirect lighting

Ring of Light Nexus Slim

An extra narrow ring luminaire with a width of 40mm and a height of 60mm. Create beautiful compositions with an arrangement of the Ring of Light Nexus Slim, by combining different sizes.

Nexus Beam

The Nexus Beam is a LEDLine fixture that can be placed in a suspended position, available in various widths and lengths. Manufactured from thick-walled aluminum for proper cooling of the LED modules.

Nexus Square

The Nexus Square is an aluminum square or rectangular fixture, which is also very suitable for workplaces due to the high lumenoutput.

LED


Our high-quality LED boards produced in the Netherlands have an efficiency of 135 lumens per Watt, a CRI of 90+ and a standard warranty period of 5 years. Combined with high quality MEANWELL LEDdrivers we deliver a high quality range of LED lighting fixtures




Color Swatches Nexus series








- Outer Diameter: 400mm
- Inner Diameter: 300mm
- Height: 60mm
- LED Power: 15W
- Luminous Flux: 2.0251m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 500mm
- Inner Diameter: 400mm
- Height: 60mm
- LED Power: 20W
- Luminous Flux: 2.700lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 600mm
- Inner Diameter: 500mm
- Height: 60mm
- LED Power: 26W
- Luminous Flux: 3.510lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic


בור



- Outer Diameter: 700mm
- Inner Diameter: 600mm
- Height: 60mm
- LED Power: 31W
- Luminous Flux: 4.1851m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 800mm
- Inner Diameter: 700mm
- Height: 60mm
- LED Power: 35W
- Luminous Flux: 4.7251m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 900mm
- Inner Diameter: 800mm
- Height: 60mm
- LED Power: 40W
- Luminous Flux: 5.2001m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic






- Outer Diameter: 1000mm
- Inner Diameter: 900mm
- Height: 60mm
- LED Power: 44W
- Luminous Flux: 5.9401m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 1200mm
- Inner Diameter: 1100mm
- Height: 60mm
- LED Power: 53W
- Luminous Flux: 7.1551m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 1400mm
- Inner Diameter: 1300mm
- Height: 60mm
- LED Power: 62W
- Luminous Flux: 8.3701m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic


בוך

Projects




Projects







בור



- Outer Diameter: 1500mm
- Inner Diameter: 1400mm
- Height: 60mm
- LED Power: 66W
- Luminous Flux: 8.910lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1600mm
- Inner Diameter: 1500mm
- Height: 60mm
- LED Power: 70W
- Luminous Flux: 9.450lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1800mm
- Inner Diameter: 1700mm
- Height: 60mm
- LED Power: 80W
- Luminous Flux: 10.8001m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic






- Outer Diameter: 2000mm
- Inner Diameter: 1900mm
- Height: 60mm
- LED Power: 90W
- Luminous Flux: 12.1501m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 2200mm
- Inner Diameter: 2100mm
- Height: 60mm
- LED Power: 100W
- Luminous Flux: 13.3651m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 2400mm
- Inner Diameter: 2300mm
- Height: 60mm
- LED Power: 110W
- Luminous Flux: 14.8501m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic

LA LINIA LIGHTING Nexus Slim (Aluminum Series)

(I

Nexus Slim







Nexus Slim








- Outer Diameter: 400mm
- Inner Diameter: 320mm
- Height: 60mm
- LED Power: 15W
- Luminous Flux: 2.0251m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 500mm
- Inner Diameter: 420mm
- Height: 60mm
- LED Power: 20W
- Luminous Flux: 2.700lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 600mm
- Inner Diameter: 520mm
- Height: 60mm
- LED Power: 26W
- Luminous Flux: 3.510lm
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic


בור



- Outer Diameter: 700mm
- Inner Diameter: 620mm
- Height: 60mm
- LED Power: 31W
- Luminous Flux: 4.1851m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 800mm
- Inner Diameter: 720mm
- Height: 60mm
- LED Power: 35W
- Luminous Flux: 4.7251m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 900mm
- Inner Diameter: 820mm
- Height: 60mm
- LED Power: 40W
- Luminous Flux: 5.5001m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable:
 On request
 DALI, TRIAC
 LA LINIA DIMMING
- Material: Aluminium / Acrylic






- Outer Diameter: 1000mm
- Inner Diameter: 920mm
- Height: 60mm
- LED Power: 44W
- Luminous Flux: 5.9401m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1200mm
- Inner Diameter: 1120mm
- Height: 60mm
- LED Power: 53W
- Luminous Flux: 7.1551m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1400mm
- Inner Diameter: 1320mm
- Height: 60mm
- LED Power: 62W
- Luminous Flux: 8.3701m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic


Projects




Projects








- Outer Diameter: 1500mm
- Inner Diameter: 1420mm
- Height: 60mm
- LED Power: 66W
- Luminous Flux: 8.9101m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1600mm
- Inner Diameter: 1520mm
- Height: 60mm
- LED Power: 70W
- Luminous Flux: 9.4501m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1800mm
- Inner Diameter: 1720mm
- Height: 60mm
- LED Power: 80W
- Luminous Flux: 10.8001m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic






- Outer Diameter: 2000mm
- Inner Diameter: 1920mm
- Height: 60mm
- LED Power: 90W
- Luminous Flux: 12.1501m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 2200mm
- Inner Diameter: 2120mm
- Height: 60mm
- LED Power: 100W
- Luminous Flux: 13.3651m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 2400mm
- Inner Diameter: 2320mm
- Height: 60mm
- LED Power: 110W
- Luminous Flux: 14.8501m
- Color Temperature: 2700K, 3000K, 4000K, TUNABLE WHITE, RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic

LA LINIA LIGHTING Ring of Light Zero

Ring of Light Zero

בור

The Ring of Light Zero is a minimalist design fixture, you don't need a giant luminaire to enjoy great lighting! Handmade out of high-grade aluminium, bend, welded and painted in our factory, the Zero is the latest addition to our Ring of Light series.

With a very compact/slim profile, this Ring of Light stands out from the crowd.

Combine multiple sizes as the grand chandelier, or use single rings as a design statement, use our lighting as you see fit! Dimensions ranging from 400mm to 2000mm.

The Ring of Light Zero is available with inward and outward lighting. The Zero X offers inward lighting, as the Zero Y has outward lighting.



Color Swatches Ring of Light Zero



RAL 7021



ANTIQUE SILVER



RAL 9005



BRUSHED COPPER



GOLD



BRUSHED SILVER



COPPER



BRUSHED GOLD



BRONZE



GOLD LEAF



COPPERBRONZE




COPPERFOIL

Ring of Light Zero







Product Specifications Zero X (Inward Lighting)



- Outer Diameter: 600mm
- Height: 18mm
- LED Power: 18W
- Luminous Flux: 1.410lm
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 700mm
- Height: 18mm
- LED Power: 21W
- Luminous Flux: 1.6401m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 800mm
- Height: 18mm
- LED Power: 24W
- Luminous Flux: 1.8801m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic

Product Specifications Zero X (Inward Lighting)






- Outer Diameter: 900mm
- Height: 18mm
- LED Power: 27W
- Luminous Flux: 2.1151m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1000mm
- Height: 18mm
- LED Power: 30W
- Luminous Flux: 2.3551m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




Product Specifications Zero X (Inward Lighting)



- Outer Diameter: 1400mm
- Height: 18mm
- LED Power: 44W
- Luminous Flux: 3.5201m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1600mm
- Height: 18mm
- LED Power: 50W
- Luminous Flux: 4.0001m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 2000mm
- Height: 18mm
- LED Power: 63W
- Luminous Flux: 5.0001m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic

Product Specifications Zero Y (Outward Lighting)






- Outer Diameter: 600mm
- Height: 18mm
- LED Power: 18W
- Luminous Flux: 1.410lm
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 700mm
- Height: 18mm
- LED Power: 21W
- Luminous Flux: 1.640lm
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 800mm
- Height: 18mm
- LED Power: 24W
- Luminous Flux: 1.8801m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




Product Specifications Zero Y (Outward Lighting)



- Outer Diameter: 900mm
- Height: 18mm
- LED Power: 27W
- Luminous Flux: 2.1151m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1000mm
- Height: 18mm
- LED Power: 30W
- Luminous Flux: 2.3551m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic




- Outer Diameter: 1200mm
- Height: 18mm
- LED Power: 36W
- Luminous Flux: 2.8251m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic

Product Specifications Zero Y (Outward Lighting)






- Outer Diameter: 1400mm
- Height: 18mm
- LED Power: 44W
- Luminous Flux: 3.5201m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 1600mm
- Height: 18mm
- LED Power: 50W
- Luminous Flux: 4.0001m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



- Outer Diameter: 2000mm
- Height: 18mm
- LED Power: 63W
- Luminous Flux: 5.0001m
- Color Temperature: 2700K 3000K 4000K
 - TUNABLE WHITE RGB
- CRI: 90+
- Build in LED Driver: Meanwell
- Dimmable: On request DALI, TRIAC LA LINIA DIMMING
- Material: Aluminium / Acrylic



Contact Information

La Linia Lighting

Binnenhaven 20 7547BH Enschede The Netherlands

T:+31(0)53-4300551 E: info@lalinia.nl

www.lalinia.nl